



DPC

DELAWARE PAINT COMPANY



2026 Paint Brush Series

C Series

Uses The Finest Tapered Nylon Filament



D Series

Uses the Finest Super Tipped Tapered Polyester. Providing the Sharpest Tip On The Market



Angle Sash



SKU	Width	Thickness	Exposed Length
C101	1"	5/16"	2-1/8" = 54
C102	1-1/2"	1/2"	2-3/8" = 60
C103	2"	9/16"	2-5/8" = 66
C104	2-1/2"	5/8"	2-7/8" = 73
C105	3"	11/16"	3-1/8" = 79

Angle Beavertail



SKU	Width	Thickness	Exposed Length
C106	2-1/2"	5/8"	2-7/8" = 73
C107	3"	11/16"	3-1/8" = 79
C108	3-1/2"	7/8"	3-3/8" = 85

Angle Sash



SKU	Width	Thickness	Exposed Length
D101	1"	5/16"	2-1/8" = 54
D102	1-1/2"	1/2"	2-3/8" = 60
D103	2"	9/16"	2-5/8" = 66
D104	2-1/2"	5/8"	2-7/8" = 73
D105	3"	11/16"	3-1/8" = 79

Angle Beavertail



SKU	Width	Thickness	Exposed Length
D106	2-1/2"	5/8"	2-7/8" = 73
D107	3"	11/16"	3-1/8" = 79
D108	3-1/2"	7/8"	3-3/8" = 85

Flat Beavertail



SKU	Width	Thickness	Exposed Length
C113	1"	7/16"	2-1/8" = 54
C114	1-1/2"	1/2"	2-3/8" = 60
C115	2"	9/16"	2-5/8" = 66
C116	2-1/2"	5/8"	2-7/8" = 73
C117	3"	11/16"	3-1/8" = 79
C118	3-1/2"	7/8"	3-3/8" = 85
C119	4"	7/8"	3-5/8" = 92

Short/Angle



SKU	Width	Thickness	Exposed Length
C112	2"	5/8"	2-5/8" = 66

Flat Beavertail



SKU	Width	Thickness	Exposed Length
D113	1"	7/16"	2-1/8" = 54
D114	1-1/2"	1/2"	2-3/8" = 60
D115	2"	9/16"	2-5/8" = 66
D116	2-1/2"	5/8"	2-7/8" = 73
D117	3"	11/16"	3-1/8" = 79
D118	3-1/2"	7/8"	3-3/8" = 85
D119	4"	7/8"	3-5/8" = 92

Short/Angle



SKU	Width	Thickness	Exposed Length
D112	2"	5/8"	2-5/8" = 66



K Series

100% Natural China Bristle
(Hog Hair)



G Series

Chemically Tipped Polyester
Infused Nylon Filament



Angle Sash



SKU	Width	Thickness	Exposed Length
K101	1"	5/16"	2-1/8" = 54
K102	1-1/2"	1/2"	2-3/8" = 60
K103	2"	9/16"	2-5/8" = 66
K104	2-1/2"	5/8"	2-7/8" = 73
K105	3"	11/16"	3-1/8" = 79

Angle Beavertail



SKU	Width	Thickness	Exposed Length
K106	2-1/2"	5/8"	2-7/8" = 73
K107	3"	11/16"	3-1/8" = 79
K108	3-1/2"	7/8"	3-3/8" = 85

Angle Sash



SKU	Width	Thickness	Exposed Length
G101	1"	5/16"	2-1/8" = 54
G102	1-1/2"	1/2"	2-3/8" = 60
G103	2"	9/16"	2-5/8" = 66
G104	2-1/2"	5/8"	2-7/8" = 73
G105	3"	11/16"	3-1/8" = 79

Angle Beavertail



SKU	Width	Thickness	Exposed Length
G106	2-1/2"	5/8"	2-7/8" = 73
G107	3"	11/16"	3-1/8" = 79
G108	3-1/2"	7/8"	3-3/8" = 85

Flat Beavertail



SKU	Width	Thickness	Exposed Length
K113	1"	7/16"	2-1/8" = 54
K114	1-1/2"	1/2"	2-3/8" = 60
K115	2"	9/16"	2-5/8" = 66
K116	2-1/2"	5/8"	2-7/8" = 73
K117	3"	11/16"	3-1/8" = 79
K118	3-1/2"	7/8"	3-3/8" = 85
K119	4"	7/8"	3-5/8" = 92

Short/Angle



SKU	Width	Thickness	Exposed Length
K112	2"	5/8"	2-5/8" = 66

Flat Beavertail



SKU	Width	Thickness	Exposed Length
G113	1"	7/16"	2-1/8" = 54
G114	1-1/2"	1/2"	2-3/8" = 60
G115	2"	9/16"	2-5/8" = 66
G116	2-1/2"	5/8"	2-7/8" = 73
G117	3"	11/16"	3-1/8" = 79
G118	3-1/2"	7/8"	3-3/8" = 85
G119	4"	7/8"	3-5/8" = 92

Short/Angle



SKU	Width	Thickness	Exposed Length
G112	2"	5/8"	2-5/8" = 66

Oval



SKU	Size
K120	6
K121	8
K122	10
K123	12



Oval



SKU	Size
G120	6
G121	8
G122	10
G123	12



M Series

Uses Synthetic Polyester China Bristle (Imitation Hog Hair)



W Series

Uses 100% Polyester Filament



Angle Sash



SKU	Width	Thickness	Exposed Length
M101	1"	5/16"	2-1/8" = 54
M102	1-1/2"	1/2"	2-3/8" = 60
M103	2"	9/16"	2-5/8" = 66
M104	2-1/2"	5/8"	2-7/8" = 73
M105	3"	11/16"	3-1/8" = 79

Angle Beavertail



SKU	Width	Thickness	Exposed Length
M106	2-1/2"	5/8"	2-7/8" = 73
M107	3"	11/16"	3-1/8" = 79
M108	3-1/2"	7/8"	3-3/8" = 85

Angle Sash



SKU	Width	Thickness	Exposed Length
W101	1"	5/16"	2-1/8" = 54
W102	1-1/2"	1/2"	2-3/8" = 60
W103	2"	9/16"	2-5/8" = 66
W104	2-1/2"	5/8"	2-7/8" = 73
W105	3"	11/16"	3-1/8" = 79

Flat Beavertail



SKU	Width	Thickness	Exposed Length
W113	1"	7/16"	2-1/8" = 54
W115	2"	9/16"	2-5/8" = 66
W116	2-1/2"	5/8"	2-7/8" = 73
W117	3"	11/16"	3-1/8" = 79
W118	3-1/2"	7/8"	3-3/8" = 85
W119	4"	7/8"	3-5/8" = 92

Flat Beavertail



SKU	Width	Thickness	Exposed Length
M113	1"	7/16"	2-1/8" = 54
M114	1-1/2"	1/2"	2-3/8" = 60
M115	2"	9/16"	2-5/8" = 66
M116	2-1/2"	5/8"	2-7/8" = 73
M117	3"	11/16"	3-1/8" = 79
M118	3-1/2"	7/8"	3-3/8" = 85
M119	4"	7/8"	3-5/8" = 92

Short/Angle



SKU	Width	Thickness	Exposed Length
M112	2"	5/8"	2-5/8" = 66



E Series Flats



Hog Hair



SKU	Width	Thickness	Exposed Length
E113	1" = 25mm	5/16" = 8mm	1-9/16" = 39mm
E114	1-1/2" = 40mm	5/16" = 8mm	1-9/16" = 39mm
E115	2" = 50mm	5/16" = 8mm	1-9/16" = 39mm
E116	2-1/2" = 65mm	3/8" = 9.5mm	1-9/16" = 39mm
E117	3" = 75mm	3/8" = 9.5mm	1-9/16" = 39mm

Black Synthetic



SKU	Width	Thickness	Exposed Length
E313	1" = 25mm	5/16" = 8mm	1-11/16" = 43mm
E314	1-1/2" = 40mm	5/16" = 8mm	1-11/16" = 43mm
E315	2" = 50mm	5/16" = 8mm	1-11/16" = 43mm
E316	2-1/2" = 65mm	3/8" = 9.5mm	1-11/16" = 43mm
E317	3" = 75mm	3/8" = 9.5mm	1-11/16" = 43mm



DPC

DELAWARE PAINT COMPANY

delawarepaintco.com

8455 Rausch Drive,
Plain City, Ohio 43064